

SLINGS



Wispa Universal Slings

Maximum Load SLUQ (quilted) maximum load 200kg
 SLGU (not quilted) maximum load rated at 190kg


- Good support for legs, shoulders and back
- Easy to fit and remove
- Quilted/non quilted versions
- Positioning handles on reverse
- Commode aperture for toileting
- Free Sling Selection Guide available

| code | product | size | Price |
|---------|---------------------------------|--------|---------|
| SLGU4 | Universal Non Quilted | Small | £79 |
| SLGU4RN | Universal Non Quilted Royal net | Small | £79 |
| SLGU5 | Universal Non Quilted | Medium | £89 |
| SLGU5RN | Universal Non Quilted Royal net | Medium | £89 |
| SLGU6 | Universal Non Quilted | Large | £99 |
| SLGU6RN | Universal Non Quilted Royal net | Large | £99 |
| SLUQ7 | Universal Quilted | Small | £116 |
| SLUQ7RN | Universal Quilted Royal net | Small | £116 |
| SLUQ8 | Universal Quilted | Medium | £126 |
| SLUQ8RN | Universal Quilted Royal net | Medium | £126 |
| SLUQ9 | Universal Quilted | Large | £136 |
| SLUQ9RN | Universal Quilted Royal net | Large | £136 |
| SLGU1S | Universal Sheepskin | Small | £147 |
| SLGU2S | Universal Sheepskin | Medium | £158.20 |
| SLGU3S | Universal Sheepskin | Large | £169.60 |

Note: If head and neck support are required, the Full Support Universal Sling may be preferable.

Technical Information

| Universal Slings SLUQ7,8,9 | | | |
|----------------------------|-------------|-------------|-------------|
| Ref | SLUQ7/SLGU4 | SLUQ8/SLGU5 | SLUQ9/SLGU6 |
| A | 875mm | 1050mm | 1200mm |
| B | 1100mm | 1245mm | 1320mm |
| C | 560mm | 655mm | 770mm |
| Size | Small | Medium | Large |



SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Full Support Universal Quilted Slings

Maximum Load SLUFQ XL 445kg

SLUFQ P2, P1, XS, S, M, L 200kg

- Good support for legs, shoulders and back
- Easy to fit and remove
- Quilted/non quilted versions
- Positioning handles on reverse
- Commode aperture for toileting
- Free Sling Selection Guide available

Note: If head and neck support are required, the Full Support Universal Sling may be preferable.


| code | product | size | Price |
|------------|--|-------------------|-------|
| SLUFQ-P2 | Full Support Universal Quilted | Paediatric size 2 | £121 |
| SLUFQ-P1 | Full Support Universal Quilted | Paediatric size 1 | £121 |
| SLUFQ-P1RN | Universal Quilted Full Support Royal net | Paediatric size 1 | £118 |
| SLUFQ-P2RN | Universal Quilted Full Support Royal net | Paediatric size 2 | £118 |
| SLUFQ-SRN | Universal Quilted Full Support Royal net | Small | £128 |
| SLUFQ-XS | Full Support Universal Quilted | Extra Small | £126 |
| SLUFQ-S | Full Support Universal Quilted | Small | £131 |
| SLUFQ-M | Full Support Universal Quilted | Medium | £141 |
| SLUFQ-L | Full Support Universal Quilted | Large | £153 |
| SLUFQ-XL | Full Support Universal Quilted | Extra Large | £263 |
| SLUFQ-XSRN | Universal Quilted FS Royal net | X-Small | £123 |
| SLUFQ-MRN | Universal Quilted FS Royal net | Medium | £138 |
| SLUFQ-LRN | Universal Quilted FS Royal net | Large | £149 |
| SLUFQ-XLRN | Universal Quilted FS Royal net | X-Large | £256 |

Paediatric slings

Note: See page 167 for the complete range of paediatric slings.


Technical Information

| Full Support Universal Sling SLUFQ S, M, L, XL | | | | |
|--|---------|---------|---------|----------|
| Ref | SLUFQ S | SLUFQ M | SLUFQ L | SLUFQ XL |
| A | 880mm | 1015mm | 1125mm | 1275mm |
| B | 1310mm | 1395mm | 1560mm | 1680mm |
| C | 560mm | 640mm | 755mm | 850mm |
| Size | Small | Medium | Large | XLarge |



Technical Information

| Full Support Universal Sling SLUFQ P2, P1, XS | | | |
|---|----------|----------|----------|
| Ref | SLUFQ P2 | SLUFQ P1 | SLUFQ XS |
| A | 590mm | 670mm | 780mm |
| B | 960mm | 1070mm | 1140mm |
| C | 430mm | 450mm | 500mm |
| Size | M child | L Child | X Small |



SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Hammock Slings













Maximum Load 200kg (31 stones) (440lb)

Hammock SLHQ 1, 2, 3

- Excellent support for head/neck, shoulders, back, hips, buttocks and thighs
- Support for upper thigh and hip means that the sling is suitable for hoisting clients with above knee amputations


Double Amputee Sling SLHQ 8 (one size only)

- Similar to the medium Hammock sling, but without head support
- Free Sling Selection Guide available


| code | product | size | | Price |
|---------|-------------------------------|--------|---|----------------|
| SLHQ1 | Hammock Quilted | Small | | £116 |
| SLHQ1RN | Hammock Quilted Royal net | Small |  | £116 |
| SLHQ2 | Hammock Quilted | Medium | | £126 |
| SLHQ2RN | Hammock Quilted Royal net | Medium |  | £126 |
| SLHQ3 | Hammock Quilted | Large | | £136 |
| SLHQ3RN | Hammock Quilted Royal net | Large |  | £136 |
| SLHQ8 | Amputee Sling Quilted | Medium | | £126 |
| SLHQ8RN | Amputee Quilted D/A Royal net | Medium |  | £123 |
| SLGH1 | Hammock Non Quilted | Small |  | £96.10 |
| SLGH1RN | Hammock Non Quilted Royal net | Small |  | £96.10 |
| SLGH1S | Hammock Sheepskin | Small |  | £141.20 |
| SLGH2 | Hammock Non Quilted | Medium |  | £107.40 |
| SLGH2RN | Hammock Non Quilted Royal net | Medium |  | £107.40 |
| SLGH2S | Hammock Sheepskin | Medium |  | £152.60 |
| SLGH3 | Hammock Non Quilted | Large |  | £118.70 |
| SLGH3S | Hammock Sheepskin | Large |  | £163.80 |

Technical Information

| Hammock Sling SLHQ 1, 2, 3 Amputee Sling SLHQ8 | | | | |
|--|--------|--------|--------|----------------|
| Ref | SLHQ1 | SLHQ2 | SLHQ3 | SLHQ 8 |
| A | 515mm | 510mm | 650mm | 925mm |
| B | 1020mm | 1290mm | 1330mm | 1175mm |
| C | 740mm | 880mm | 1045mm | 925mm |
| Size | Small | Medium | Large | Double amputee |



SLHQ1/2/3



SLHQ8

SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Standing Jackets

Maximum Load 200kg (31 stones) (440lb)

- Useful for therapy and may assist with transfers into standing frames
- Graduated loops on shoulder straps allow for variations in posture to be accommodated
- Padded for extra comfort
- Leg support straps are easy to apply while in the seated position
- Leg support straps have removable padded covers and are easy to apply
- Metal slide lock adjusters combine rapid adjustment with load bearing security
- Free Sling Selection Guide available


| code | product | size | Price |
|---------|-----------------------|--|-------|
| SLST-XS | Wispa Standing Jacket | Chest size 59cm-82cm (23"-32") | £240 |
| SLST-S | Wispa Standing Jacket | Small - chest size 76cm-98cm (30"-38") | £240 |
| SLST-M | Wispa Standing Jacket | Medium - chest size 89cm-112cm (35"-44") | £250 |
| SLST-L | Wispa Standing Jacket | Large - chest size 104cm-126cm (41"-50") | £260 |

Paediatric slings

Note: See page 178 for the complete range of paediatric slings.


Technical Information

| Standing Jacket SLST XS, S, M, L | | | |
|----------------------------------|--------|--------|--------|
| Ref | SLST S | SLST M | SLST L |
| A | 970mm | 1120mm | 1270mm |
| B | 215mm | 215mm | 215mm |
| Size | Small | Medium | Large |



Technical Information

| Standing Jacket SLST XS | |
|-------------------------|---------|
| Ref | SLST XS |
| A | 820mm |
| B | 215mm |
| Size | XSmall |



SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Slinci Sling

Maximum Load excluding extra large 200kg (31 stones) (440lb)
 Extra large Maximum Load 272kg (42 stones) (440lb)

- Low friction outer fabric and absence of positioning handles decreases resistance for ease of application
- Ease of access to posture control seating
- Specially designed for ease of application and removal in both moulded and special seating, or where space is limited
- Good support for head, legs, shoulders and back
- Commode aperture for toileting
- Sizes range from P2/1 to suit children to XL (XL maximum load 272kg) to compliment the Wispa 300 series overhead hoist


| code | product | size | Price |
|-----------|--------------|-------------------|-------|
| SLINCI-P2 | Slinci sling | Paediatric size 2 | £121 |
| SLINCI-P1 | Slinci sling | Paediatric size 1 | £121 |
| SLINCI-XS | Slinci sling | Extra small | £126 |
| SLINCI-S | Slinci sling | Small | £132 |
| SLINCI-M | Slinci sling | Medium | £143 |
| SLINCI-L | Slinci sling | Large | £153 |
| SLINCI-XL | Slinci sling | Extra large | £263 |

Paediatric slings

Note: See page 167 for the complete range of paediatric slings.


Technical Information

| Slinci Sling S, M, L, XL | | | | |
|--------------------------|----------|----------|----------|-------------|
| Ref | SLINCI S | SLINCI M | SLINCI L | SLINCI XL |
| A | 880mm | 1015mm | 1125mm | 1275mm |
| B | 1310mm | 1395mm | 1560mm | 1680mm |
| C | 560mm | 640mm | 755mm | 850mm |
| Size | Small | Medium | Large | Extra large |



Technical Information

| Slinci Sling P2, P1, XS | | | |
|-------------------------|-----------|-----------|-----------|
| Ref | SLINCI P2 | SLINCI P1 | SLINCI XS |
| A | 590mm | 670mm | 780mm |
| B | 960mm | 1070mm | 1140mm |
| C | 430mm | 450mm | 500mm |
| Size | M Child | L Child | X Small |



SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Recumbent Sling


Maximum Load 200kg (31 stones) (440lb)

- Facilitates hoisting in the recumbent position
- Fits under head, shoulders, buttocks and thighs
- Safe, comfortable transfer
- Centre leg straps for added safety during transfer
- Graduated loops on all straps for precise adjustment
- Free Sling Selection Guide available

| code | product | size | | Price |
|---------|---------------------------|--------|--|-------|
| SLREC | Recumbent Sling | Medium | | £153 |
| SLRECRN | Recumbent Sling Royal net | | | £149 |

Technical Information

| Recumbent Sling | |
|-----------------|-----------------|
| Ref | Medium |
| A | 880mm |
| B | 1390mm |
| C | 880mm |
| Size | (one size only) |



Toileting Fully Quilted Slings

Maximum Load 200kg (31 stones) (440lb)


- Quick and easy to fit and remove
- Good access for clothing removal/toileting
- Fully quilted
- Supports client under thighs and across mid-back area

Safety Note: This Sling is not considered suitable for clients with involuntary movement or limited postural control. This sling requires the clients arms to be positioned outside of the sling prior to hoisting.

| code | product | size | | Price |
|----------|-------------------------------|---------------------|--|---------|
| SLGTQ-P | Toileting/Access | paediatric one size | | £163 |
| SLGTQ4 | Toileting Sling Fully Quilted | Small | | £143 |
| SLGTQ4RN | Toileting Quilted Royal net | Small | | £139 |
| SLGTQ5 | Toileting Sling Fully Quilted | Medium | | £153 |
| SLGTQ5RN | Toileting Quilted Royal net | Medium | | £148.60 |
| SLGTQ6 | Toileting Sling Fully Quilted | Large | | £163 |

Technical Information

| Toileting/Access Sling SLGTQ 4, 5, 6, P | | | | |
|---|--------|--------|--------|------------|
| Ref | SLGTQ4 | SLGTQ5 | SLGTQ6 | SLGTQ-P |
| A | 1220mm | 1300mm | 1600mm | 970mm |
| B | 730mm | 930mm | 1110mm | 730mm |
| C | 370mm | 480mm | 600mm | 340mm |
| Size | Small | Medium | Large | Paediatric |



SYMBOLS:

Bulk/oversized item

Made to order (see P200)

Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Paediatric Slings


Maximum Load 200kg (31 stones) (440lb)

- Positioning handles on reverse
- Good support for legs and shoulders
- Removable head support stiffeners
- Soft quilting on leg sections
- Free Sling Selection Guide available

| code | product | size | Price |
|------------|--|--------------------------------|-------|
| SLGTQ-P | Toileting/Access* (shown above) | One size | £163 |
| SLUFQ-P2 | Full Support Universal Quilted | Paediatric size 2 | £121 |
| SLUFQ-P1 | Full Support Universal Quilted | Paediatric size 1 | £121 |
| SLUFQ-P1RN | Universal Quilted Full Support Royal net | Large | £118 |
| SLUFQ-P2RN | Universal Quilted Full Support Royal net | Medium | £118 |
| SLUFQ-XSRN | Universal Quilted FS Royal net | X-Small | £123 |
| SLUFQ-XS | Full Support Universal Quilted | Extra Small | £126 |
| SLINCI-P2 | Slinco sling | Paediatric size 2 | £121 |
| SLINCI-P1 | Slinco sling | Paediatric size 1 | £121 |
| SLINCI-XS | Slinco sling | Extra small | £126 |
| SLST-XS | Wispa Standing Jacket | Chest size 59cm-82cm (23"-32") | £240 |


Technical Information

| Full Support Universal Sling SLUFQ P2, P1, XS | | | |
|---|----------|----------|----------|
| Ref | SLUFQ P2 | SLUFQ P1 | SLUFQ XS |
| A | 590mm | 670mm | 780mm |
| B | 960mm | 1070mm | 1140mm |
| C | 430mm | 450mm | 500mm |
| Size | M child | L Child | X Small |




Technical Information

| Slinco Sling P2, P1, XS | | | |
|-------------------------|-----------|-----------|-----------|
| Ref | SLINCI P2 | SLINCI P1 | SLINCI XS |
| A | 590mm | 670mm | 780mm |
| B | 960mm | 1070mm | 1140mm |
| C | 430mm | 450mm | 500mm |
| Size | M Child | L Child | X Small |



Technical Information

| Standing Jacket SLST XS | |
|-------------------------|---------|
| Ref | SLST XS |
| A | 820mm |
| B | 215mm |
| Size | XSmall |



SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS



Wispa Patient Specific Disposable Sling


Maximum Load 200kg (31 stones) (440lb)

- Designed to stay with the client
- Reduced cross infection risk
- A cost effective solution
- Readily available
- Good support for legs, shoulders, back and head for a safe and comfortable lift
- Strong, lightweight and durable
- Removable head support stiffeners option
- Free Sling Selection Guide available

| code | product | size |
|----------|------------------------------|--------------------|
| SLD001 | Wispa Patient Specific Sling | Medium (box of 10) |
| SLD001-1 | Wispa Patient Specific Sling | Medium (Each) |

Technical Information

| Disposable Sling | |
|------------------|-----------------|
| Ref | SLD001 |
| A | 1000mm |
| B | 1295mm |
| C | 780mm |
| Size | (one size only) |



Wispa Bariatric blanket Sling

Maximum Load 445kg (70 stones) (980lbs)

- Suitable for use with the heavy duty gantry for extremely heavy clients (shown on page 163)
- The Bariatric Blanket Sling is manufactured from polyester toweling (top layer), fire retardant polyester fibre (middle layer), fire retardant polyester (middle layer), 4oz nylon (bottom layer)

| code | product | size | Price |
|------|-------------------------------|----------|-------|
| SLBB | Wispa Bariatric blanket sling | One size | £310 |

Safety note: Always ensure that the maximum load of the hoist and bariatric carry bar are not exceeded prior to any transfer.

SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399


www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk

SLINGS

Wispa Sling Accessories




Wispa extension straps

Maximum Load 200kg (31 stones) (440lb)

- Creates greater distance between the client and carry bar
- Makes lifting from the floor easier when using a mobile hoist
- Greater head clearance for ceiling track hoist users
- Two separate loops to allow the position of the client to be adjusted to suit individual requirements
- Easy to fit and remove
- Free Sling Selection Guide available

| code | product | size | Price |
|-------|-------------------------|---------------------------------------|-------|
| SLEXT | Extension Straps (pair) | One size - total length of strap 30cm | £37 |

Technical Information



Custom made sling features

| Special feature | Price |
|--|-------|
| Wider sling | £24 |
| Longer sling | £27 |
| Strap alteration (longer, shorter, additional or fewer loops) per pair | £24 |
| Additional straps per pair | £24 |
| Add or remove handles | £24 |
| Change of leg length (up to 100mm longer or shorter) | £27 |
| Change of leg length (up to 200mm longer or shorter) | £40 |
| Add or remove head support to any sling (boned or unboned) | £32 |
| Change of length of existing head support | £24 |
| Add or remove back support (plastozote padding) | £33 |
| Add chest strap | £36 |
| Change length of chest strap | £21 |
| Add Terry toweling | £56 |
| Add simulated sheepskin lining | £56 |
| Add polyester lining | £33 |
| Change aperture size | £36 |
| Remove quilting | £33 |

Please note: A specification sheet is available for detailing special sling requirements. Please contact Customer Service to request a copy. Prices quoted for custom made features are nett prices.

Safety standards and tests

Sample slings have been load tested in accordance with ISO 10535 (2006) Hoists for the transfer of disabled persons - Requirements and test methods and conform to the requirements of the standard. The composite sample of the material used in Wispa slings meets the flammability performance requirements of BS EN 1021-1:1994 for upholstered furniture.

Hoist and sling compatibility

Chiltern Invadex can supply a detailed statement on hoist and sling compatibility produced by the British Healthcare Trades Association (BHTA). A copy of the statement can be viewed at www.chilterninvadex.co.uk/useful_info.htm or by contacting the Chiltern Invadex Customer Service Office at sales@chilterninvadex.co.uk.

SYMBOLS:

Bulk/oversized item



Made to order (see P200)



Tel: 0800 917 0399

www.chilterninvadex.co.uk

Fax: +44 (0) 1869 365588

sales@chilterninvadex.co.uk